## SIGVARIS

## **PRESCRIPTION**

Patient _					Date	
Diagnosis _						
•	Phone					
License Number _						
Compress	sion:	Produ	ıcts (please	circle):		
O 20-30 i	mmHg	• EverSh	neer • Soft Opac	t • Truly Transpare que • Merino Woo	ol • Allure • Advar	nce Armsleeve
30-40	mmHg			rt • Truly Transpar que • Advance Arr		ber
<b>40-50</b> i	mmHg	Natural	Rubber			
O 50-60 i	mmHg	Natural	Rubber			
O No Substitution Number of Pairs Number of Refills						
Style:						
3	5		3	}	3	
0	(	)	0	0	0	0
Calf	Th	igh	Pantyhose	Thigh with waist attachment (left • right)	Maternity Pantyhose	Armsleeve
				ase see reve	rse side for i	indications
O Rubber Glo		_	(Slip On SIGVAF	ng Devices:  RIS)	_	ARIS Doff'n Donner & Foot Cream

## **GRADUATED COMPRESSION CHART**

	Symptoms/Indications	Compression strength at the ankle (mmHg)
CEAP 0/A: CEAP 1/S:	<ul><li>Extended standing or sitting (travel)</li><li>Prophylaxis (pregnancy, risk factors)</li><li>Heavy, fatigued, tired legs</li></ul>	15-20 mmHg
CEAP 1/S: CEAP 2/S:	<ul> <li>Painful, fatigued and aching legs</li> <li>Spider veins/mild edema (due to pregnancy, age, travelling, etc.)</li> <li>Post sclerotherapy of small veins</li> <li>Mild to moderate varicose veins</li> <li>Elective surgery (sclerotherapy, phlebectomy, vein stripping, orthopaedics)</li> <li>Orthostatis/Postural hypotension</li> </ul>	20-30 mmHg
CEAP 3/S:	Moderate/severe edema     (pregnancy, risk factors)     Surgery (orthopaedics, post fracture, traumatic edema, sclerotherapy, phlebectomy, vein stripping	
CEAP 4/S:  CEAP 5/S: CEAP 6/S:	<ul> <li>Skin changes without ulceration</li> <li>Superficial Phlebitis (red, painful)</li> <li>Deep Vein Thrombosis/ Post Thrombotic Syndrome</li> <li>Skin changes with healed ulceration</li> <li>Skin changes with active ulceration</li> </ul>	30-40 mmHg
CEAP 4/S: CEAP 5/S: CEAP 6/S:	Severe Deep Vein Thrombosis/Post Thrombotic Syndrome     Severe skin changes with healed ulceration (recurrent)     Severe skin changes with active ulceration	40-50 or 50-60 mmHg

CONTRAINDICATIONS	CAUTION
Arterial insufficiency, intermittent claudication, ischemia     Uncontrolled congestive heart failure     Acute dermatitis, weeping dermatosis, cutaneous sepsis	Signs of infection Extensive venous ulceration Skin sensitivities or allergies Neuropathy History of diabetes Confinement to bed or non-ambulatory use unless otherwise prescribed by the physician

No liability accepted for non-observance of contra-indications and cautions.

www.sigvaris.ca
Tel. **1.800.363.4999** Fax **1.800.263.8736**Order on line at: http://www.sigvaris.us/b2b